

Catalog Number

82161-10P

UHPLC Column, NP Silica, 1.8 μ m, 100A. 4.6mm ID x 100mm Length.
Cogent Brand. 1 EA.



Additional Info

This Cogent NP Silica™ Stationary Phase has been a premium value and used by HPLC laboratories for years. This low metal content, 100A, very high purity Silica is not modified in any way and is ideal as an Alternate in any USP Method that uses the L3 Classification or for new UHPLC methods.

The small, 1.8 μ m Particle Size will provide high efficiency even at high flow rates and the Peak Capacity is greater than a 3 μ m Particle. Higher back pressures than with larger particle columns are typical and a UHPLC instrument may be required for proper results.

Chosen for analysis of hydrophilic or polar compounds when trying to reduce the run time and keep resolution the same or if you want to improve resolution of existing methods. Ideal for new method development in HILIC or Normal Phase HPLC since these columns are lower cost to run due to reduced solvent use and wastage and increased instrument throughput.

MicroSolv Technology Corporation

9158 Industrial Blvd. NE, Leland, NC 28451

tel. (732) 380-8900, fax (910) 769-9435

Email: customers@mtc-usa.com

Website: www.mtc-usa.com

Price

\$1,413.96

Printed On 2024/05/20